

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

---

Product Name: 8103 BLACK INK  
Product Number: 201-8103  
REACH Registration Number: N/A  
Identified Use: Marking ink for semiconductor  
Uses Advised Against: None identified  
Manufacturer: Xandex, Inc.  
1360 Redwood Way, Suite A  
Petaluma, CA 94954 USA  
Web Site: [www.xandex.com](http://www.xandex.com)  
E-Mail: [beastin@xandex.com](mailto:beastin@xandex.com)  
Information Contact: Bill Eastin  
Emergency Telephone: (800) 535-5053 (US Domestic)  
(352) 323-3500 (International)

---

## 2. HAZARDS IDENTIFICATION

---

### Emergency Overview

#### OSHA Hazards

Combustible Liquid, Target Organ Effect, Irritant, Harmful by ingestion, Harmful by skin absorption

#### Target Organs

Central nervous system, Blood, Liver, Kidney

#### GHS Classification

Flammable Liquids (Category 4)  
Acute toxicity, Oral (Category 4)  
Acute toxicity, Inhalation (Category 3)  
Acute toxicity, Dermal (Category 4)  
Skin irritation (Category 2)  
Acute aquatic toxicity (Category 2)  
Serious eye damage (Category 1)

#### GHS Label elements, including precautionary statements

Pictogram





# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

Signal Word

Danger

Hazard statements

H227	Combustible liquid
H302 + H312	Harmful if swallowed or in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H331	Toxic if inhaled
H401	Toxic to aquatic life

Precautionary statements

P261	Avoid breathing fume/gas/mist/vapors/spray
P280	Wear protective gloves
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P311	Call a POISON CENTER or doctor/physician

## NFPA Rating

Health hazard	2
Fire	2
Reactivity hazard	0

## HMIS Classification

Health hazard	2
Flammability	2
Physical hazard	0

## Potential Health Effects

Eyes:	This product can cause irritation to eyes on contact. Risk of serious damage to eyes.
Skin:	This product can cause moderate irritation to skin on contact.
Inhalation:	Vapor or mist can cause irritation to the nose and throat.
Ingestion:	Harmful if swallowed.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

### Description

Phenoxy resin and dye based ink mixture with a blend of alcohols



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

## Hazardous Ingredients

Chemical name	EC-No	Index-No	CAS-No	Amount (%)	Classification according to Regulation (EC) No 1272/2008 (CLP)	Classification according to 67/548/EEC
Benzyl Alcohol	202-859-9	603-057-00-5	100-51-6	68	H302 + 312, H315, H332, H401, P280	R20/22, Xn
Diacetone Alcohol	204-626-7	603-016-00-1	123-42-2	13	H226, H303, H318, H331, P261, P280, P305 + P351 + P338, P311	R11-36, Xi, F
Nigrosine Dye	616-851-1		8005-02-5	4		R48/20/21/22-20/21/22-48, S24/25 Xn, Xi

---

## 4. FIRST AID MEASURES

---

**In case of eye contact:**

Thoroughly flush with water. Call physician immediately.

**In case of skin contact:**

Wash with soap and water.

**In case of inhalation:**

Remove to fresh air.

**In case of ingestion:**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

---

## 5. FIRE FIGHTING MEASURES

---

**Suitable extinguishing media:**

Use water spray, dry chemical, CO<sub>2</sub>, alcohol-resistant foam.

**Hazardous combustion products:**

Emits carbon and nitrogen oxides under fire conditions.

**Special protective equipment for fire fighters:**

Wear self-contained breathing apparatus if necessary.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions:**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

## Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## Methods for cleaning up:

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable closed containers for disposal.

---

## 7. HANDLING AND STORAGE

---

### Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

### Conditions for storage:

Store at a temperature of 10-25°C (50-77°F) to maintain maximum shelf life.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### Components with workplace control parameters

Limit value type (country of origin)	Substance name	EC-No	CAS-No	Occupational exposure limit value	Source
TWA (USA)	Benzyl alcohol	202-859-9	100-51-6	10 ppm	Workplace Environmental Exposure Levels (WEEL)
TWA (USA)	Diacetone alcohol	204-626-7	123-42-2	50 ppm	ACGIH Threshold Limit Values (TLV)
TWA (USA)	Diacetone alcohol	204-626-7	123-42-2	50 ppm 240 mg/m <sup>3</sup>	NIOSH Recommended Exposure Limits
TWA (USA)	Diacetone alcohol	204-626-7	123-42-2	50 ppm 240 mg/m <sup>3</sup>	Occupational Exposure Limits (OSHA)- Table Z-1 Limits for Air Contaminants
TWA (USA)	Diacetone alcohol	204-626-7	123-42-2	50 ppm 240 mg/m <sup>3</sup>	Occupational Exposure Limits (OSHA)- Table Z-1 Limits for Air Contaminants- 1910.1000

### Exposure controls

#### Eye protection

Safety goggles

#### Respiratory protection

For continuous exposure to large quantities, wear respirator (CEN/NIOSH approved) as required for concentrations of air contaminants encountered.



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

## Skin protection

Chemical resistant gloves. Avoid repeated or prolonged skin exposure.

## Hygiene measures

Wash hands thoroughly after handling.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Appearance

**Form** Opaque liquid  
**Color** Black

### Safety Data

**pH** No data available  
**Melting point/freezing point** No data available  
**Boiling point** No data available  
**Odor** Slight alcoholic odor  
**Odor threshold** No data available  
**Flash point** 64° C  
**Ignition temperature** No data available  
**Auto-ignition temperature** No data available  
**Lower explosion limit** No data available  
**Upper explosion limit** No data available  
**Vapor pressure** No data available  
**Water solubility** No data available  
**Specific gravity** 1.079 (Water = 1)  
**% Volatile/Non-Volatile (Solids)** 81% Volatile / 19% Non-Volatile  
**Partition coefficient** No data available  
**Relative vapor density** No data available  
**Evaporation rate** No data available

---

## 10. STABILITY AND REACTIVITY

---

**Chemical Stability:** Stable under recommended storage conditions  
**Conditions to Avoid:** Heat and flame  
**Hazardous Decomposition Products:** Carbon and nitrogen oxides  
**Materials to Avoid:** Strong oxidizing agents

---

## 11. TOXICOLOGICAL INFORMATION

---

### Acute toxicity

**Benzyl alcohol**  
**Oral LD50**  
LD50 Oral-rat-1,230 mg/kg



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

## **Inhalation LC50**

No data available

## **Dermal LD50**

LD50 Dermal-rabbit-2,000 mg/kg

## **Diacetone alcohol**

### **Oral LD50**

LD50 Oral-rat-2,520 mg/kg

### **Inhalation LC50**

LC50 Inhalation-rat-4h-1,500 ppm

### **Dermal LD50**

LD50 Dermal-rabbit-13,500 mg/kg

## **Skin corrosion/irritation**

### **Benzyl alcohol**

Skin-rabbit-irritating to skin-24h

### **Diacetone alcohol**

No data available

## **Serious eye damage / eye irritation**

### **Benzyl alcohol**

No data available

### **Diacetone alcohol**

Eyes-rabbit-Severe eye irritation-24 h

## **Respiratory or skin sensitization**

No data available

## **Germ cell mutagenicity**

No data available

## **Carcinogenicity**

IARC: No component of this product at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by ACGIH.



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

**NTP:** No component of this product at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

**OSHA:** No component of this product at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA

## **Reproductive toxicity**

No data available

## **Teratogenicity**

No data available

## **Specific target organ toxicity- single exposure (Globally Harmonized System)**

No data available

## **Specific target organ toxicity- repeated exposure (Globally Harmonized System)**

No data available

## **Aspiration hazard**

No data available

## **Potential health effects**

### **Ingestion**

Harmful if swallowed.

### **Inhalation**

May be harmful if inhaled.

### **Skin**

Harmful if absorbed through skin. Causes skin irritation.

### **Eyes**

Causes eye irritation.

## **Signs and Symptoms of Exposure**

Central nervous system depression. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness, blood disorders, dermatitis and blurred vision. The chemical, physical, and toxicological properties of this product have not been thoroughly investigated.

## **Synergistic effects**

No data available

---

## **12. ECOLOGICAL INFORMATION**

---

### **Toxicity**

#### **Benzyl alcohol**

Toxicity to fish

LC50- Lepomis macrochirus (Bluegill)- 10 mg /l – 96 h

Toxicity to daphnia  
and other aquatic  
invertebrates

EC50- Daphnia magna (Water Flea)- 55 mg /l – 24 h



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

## Diacetone alcohol

Toxicity to fish  
Toxicity to daphnia  
and other aquatic  
invertebrates

LC50- Lepomis macrochirus (Bluegill)- 420 mg /l – 96 h

EC50- Daphnia magna (Water Flea)- 9,000 mg /l – 24 h

## Persistence and degradability

### Benzyl alcohol

Biodegradability

Biotic/Aerobic

Result: 92-96% - Readily biodegradable

### Diacetone alcohol

No data available

## Bioaccumulative potential

No data available

## Mobility in soil

No data available

## PBT and vPvB assessment

No data available

## Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life.

---

## 13. DISPOSAL CONSIDERATIONS

---

Contact a professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations in the jurisdiction where the product is used.

---

## 14. TRANSPORT INFORMATION

---

### DOT (US)

UN Number: N/A  
Marine pollutant: No  
Poison inhalation hazard: No  
Not dangerous goods

### IATA

UN Number: N/A  
Not dangerous goods





# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

## IMDG

Not dangerous goods.

---

## 15. REGULATORY INFORMATION

---

### OSHA Hazards

Combustible Liquid, Target Organ Effect, Harmful by ingestion, Harmful by skin absorption, Irritant

### CERCLA Status:

Not listed

### TSCA Status:

All chemicals used in this product are TSCA listed.

### SARA 302:

This product contains no chemicals subject to the notification under SARA Title III, Section 302.

### SARA 311/312 Hazards

Acute health hazard, chronic health hazard.

### SARA 313:

This product contains no chemicals subject to the notification under SARA Title III, Section 313.

### Massachusetts Right To Know Components

	CAS No.	Revision Date
Benzyl Alcohol	100-51-6	1993-04-24
Diacetone Alcohol	123-42-2	1993-04-24

### Pennsylvania Right To Know Components

	CAS No.	Revision Date
Benzyl Alcohol	100-51-6	1993-04-24
Diacetone Alcohol	123-42-2	1993-04-24

### New Jersey Right To Know Components

	CAS No.	Revision Date
Benzyl Alcohol	100-51-6	1993-04-24
Diacetone Alcohol	123-42-2	1993-04-24

### German Regulations

Water-endangering substances (WGK [water hazard class]): 1



# Safety Data Sheet

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16

---

## 16. OTHER INFORMATION

---

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Xandex Incorporated shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: 3.6

Revision Date: 02/03/17

Print Date: 02/03/17

Replaces: Version 3.5 Dated 11/04/16